

GET ORGANIZED. GET **FOCUSED.**

STORAGE, TRANSPORT & SMALLWARES



FOCUS[™]
FOODSERVICE
BY 1880 HOSPITALITY



DURABLE
CONSTRUCTION



EASY
ASSEMBLY



NSF APPROVED



ONE BRAND. HUNDREDS OF APPLICATIONS.

Focus Foodservice has a selection of shelving and wall storage solutions that is extensive in both materials and style. As part of 1880 Hospitality's initiative to create a good, better, best tiered product structure these items have been chosen based on a variety of criteria: quality of materials, innovation, benefits to the operator, and presentation.

From walk-in coolers and food prep stations to front-of-house displays and receiving areas, our products help operators maximize space, improve organization, and streamline workflows. One brand for all of your storage and transport needs – hundreds of applications for each solution.



- DRY STORAGE
- WALK-INS
- FOOD PREP
- OVER SINKS
- PRODUCT DISPLAYS
- SANITATION
- RECEIVING & TRANSPORT
- CATERING
- CASH & CARRY




CONTACT US

EMAIL: orders@1880hospitality.com

PHONE: 1.800.828.7033

WEB: 1880hospitality.com

TABLE OF CONTENTS



SHELVING SYSTEMS

Shelving Finishes	4
Shelves	8
Posts	10
Shelving Accessories	10
Wire Shelving Kits	13



SECURITY & SPECIALTY SHELVING

Security Cages	16
Wine Storage	18
HDS-Plus™ System	20



RACKS, CARTS, & DOLLIES

Wire Dunnage Shelving	23
Aluminum Dunnage Shelving	24
Beer Keg Racks	25
Carts & Dollies	25
Sheet Pan Racks	27



WALL SHELVING

EZ-Wall™	30
Wall-Mounted Utensil Rack	33
K/D Wall Shelf Kits	33
Direct Wall-Mount Bracket Shelving	34
Wall-Mount Post Shelving	35



CASTERS & SMALLWARES

Casters	37
Can Openers	41
Bakeware	43
Juice Presses	44

SHELVING FINISHES



CHROMATE



1-YEAR LIMITED WARRANTY

1-year limited warranty on chromate shelves and posts against rust, corrosion, or manufacturer's defect when used under general conditions

- Zinc plated commercial rated steel wire with ultra-clear coated shelves
- Ideal for **dry storage** environments
- Open wire design minimizes dust and allows free circulation of air
- Easy assembly – no special tools required!

NSF Approved: Commercially rated chromate shelves & posts are ideal for any dry storage application.



GREEN EPOXY



12-YEAR LIMITED WARRANTY

12-year limited warranty on green epoxy shelves & posts against rust, corrosion, or manufacturer's defect when used under general conditions

- Steel wire, coated and **double baked** with an optimum thickness of green epoxy
- Ideal for **wet or dry storage** environments, especially walk-ins and over-sink storage
- Open wire design minimizes dust and allows free circulation of air
- Easy assembly – no special tools required!

NSF Approved: Commercially rated green epoxy shelves & posts are ideal for any storage application, wet or dry.





BLACK EPOXY



1-YEAR LIMITED WARRANTY

1-year limited warranty on black epoxy shelves and posts against rust, corrosion, or manufacturer's defect when used under general conditions

- Constructed of steel wire and coated with an optimum thickness of black epoxy for long lasting performance
- Ideal for **wet or dry storage** environments, especially front of house pick-up and showrooms
- Open wire design minimizes dust and allows free circulation of air
- Easy assembly – no special tools required!



NSF Approved: Commercially rated black epoxy shelves & posts are ideal for wet or dry storage applications.

SOLID STAINLESS



1-YEAR LIMITED WARRANTY

1-year limited warranty on stainless steel shelves against rust, corrosion, or manufacturer's defect when used under general conditions

- Solid stainless steel shelves with die-cast corners for increased strength
- Ideal for **wet or dry storage** environments
- Solid shelves with marine edge contain spills and can be used as top of a worktable
- Easy assembly – no special tools required!



NSF Approved: Commercially rated stainless steel shelves & posts are ideal for any storage application, wet or dry.



FPS-PLUS™



LIMITED LIFETIME WARRANTY

Limited lifetime warranty on polymer panels against rust, corrosion, or manufacturer's defect when used under general conditions*

- Polymer panels infused with **Sanigard™ Anti-Microbial** protection during the manufacturing process for 24/7 protection
- Ideal for **wet or dry storage** environments, especially walk-ins and over-sink storage
- Polymer panels available in solid or vented, use a combination throughout your units
- Panels are easily removable and can fit in most commercial dishwashers
- Easy assembly – no special tools required!

NSF Approved: Commercially rated polymer shelves are ideal for any storage application, wet or dry.




*Any non-FPS parts (ie. Green Epoxy posts & trusses) are covered under their standard 12-year warranty.


SHELVES

Designed for efficiency and durability, our shelves are built with quality at the core. Focus offers a versatile range of options to meet the highest standards of performance, hygiene, and visual appeal. **Shelves under 48" length can support up to 800 lbs of uniformly distributed weight; shelves 48" and longer can support up to 600 lbs.**


All shelves are NSF listed for their stated environments, see pages 4-7.



CHROMATE



GREEN EPOXY




BLACK EPOXY



SOLID STAINLESS



SOLID FPS-PLUS™



VENTED FPS-PLUS™

SHELVES

Size	Case	Chromate	Green Epoxy	Black Epoxy	FPS-Plus™ Solid	FPS-Plus™ Vented	Solid Stainless
12" x 36"	4	FF1236C	FF1236GN				
12" x 48"	4	FF1248C	FF1248GN				
12" x 60"	2	FF1260C	FF1260GN				
14" x 24"	4	FF1424C	FF1424G	FF1424BK			
14" x 30"	4	FF1430C	FF1430G	FF1430BK			FF1430SSS
14" x 36"	4	FF1436C	FF1436G	FF1436BK			
14" x 42"	4	FF1442C	FF1442G				
14" x 48"	4	FF1448C	FF1448G	FF1448BK			
14" x 60"	2	FF1460C	FF1460G	FF1460BK			
14" x 72"	2	FF1472C	FF1472G	FF1472BK			
18" x 18"	4	FF1818CH					
18" x 24"	4	FF1824C	FF1824G	FF1824BK		FPS1824VNGN	FF1824SSS
18" x 30"	4	FF1830C	FF1830G	FF1830BK			FF1830SSS
18" x 36"	4	FF1836C	FF1836G	FF1836BK	FPS1836SOGN	FPS1836VNGN	FF1836SSS
18" x 42"	4	FF1842C	FF1842G	FF1842BK		FPS1842VNGN	FF1842SSS
18" x 48"	4	FF1848C	FF1848G	FF1848BK		FPS1848VNGN	FF1848SSS
18" x 54"	2	FF1854C	FF1854G	FF1854BK		FPS1854VNGN	
18" x 60"	2	FF1860C	FF1860G	FF1860BK		FPS1860VNGN	FF1860SSS
18" x 72"	2	FF1872C	FF1872G	FF1872BK		FPS1872VNGN	
21" x 24"	4	FF2124C	FF2124G			FPS2124VNGN	
21" x 30"	4	FF2130C	FF2130G				
21" x 36"	4	FF2136C	FF2136G			FPS2136VNGN	
21" x 42"	4	FF2142C	FF2142G			FPS2142VNGN	
21" x 48"	4	FF2148C	FF2148G			FPS2148VNGN	
21" x 54"	2	FF2154C	FF2154G			FPS2154VNGN	
21" x 60"	2	FF2160C	FF2160G		FPS2160SOGN	FPS2160VNGN	
21" x 72"	2	FF2172C	FF2172G				
24" x 24"	4	FF2424C	FF2424G	FF2424BK			FF2424SSS
24" x 30"	4	FF2430C	FF2430G	FF2430BK		FPS2430VNGN	FF2430SSS
24" x 36"	4	FF2436C	FF2436G	FF2436BK	FPS2436SOGN	FPS2436VNGN	FF2436SSS
24" x 42"	4	FF2442C	FF2442G	FF2442BK		FPS2442VNGN	FF2442SSS
24" x 48"	4	FF2448C	FF2448G	FF2448BK	FPS2448SOGN	FPS2448VNGN	FF2448SSS
24" x 54"	2	FF2454C	FF2454G	FF2454BK		FPS2454VNGN	
24" x 60"	2	FF2460C	FF2460G	FF2460BK	FPS2460SOGN	FPS2460VNGN	FF2460SSS
24" x 72"	2	FF2472C	FF2472G	FF2472BK		FPS2472VNGN	
30" x 36"	2	FF3036CH					
30" x 60"	2	FF3060CH	FF3060GN				
36" x 48"	2		FF3648GN				
36" x 60"	2	FF3660CH	FF3660GN				
36" x 72"	2		FF3672GN				

POSTS

Posts available in either stationary or mobile options, please specify required post when placing order. Converting stationary posts to mobile after purchase is an option. The leveling feet can be replaced with thread casters or, for greater durability, remove and replace the entire leveling foot with stem casters.

Height	Case	Chromate Stationary	Chromate Mobile	Green Epoxy Stationary	Green Epoxy Mobile	Black Epoxy Stationary	Black Epoxy Mobile	Solid Stainless Stationary	Solid Stainless Mobile
7"	4	FG007C	FGN007C	FG007G	FGN007G	FG007BK			
13"	4	FG013C	FGN013C	FG013G	FGN013G				
15"	4					FG015BK			
21"	4		FGN021CH						
27"	4	FG027CH	FGN027CH						
33"	4	FG033C	FGN033C	FG033G	FGN033G	FG033BK	FGN033BK		
54"	4	FG054C	FGN054C	FG054G	FGN054G	FG054BK	FGN054BK		
63"	4	FG063C	FGN063C	FG063G	FGN063G	FG063BK	FGN063BK	FG063SS	FGN063SS
74"	4	FG074C	FGN074C	FG074G	FGN074G	FG074BK	FGN074BK	FG074SS	FGN074SS
86"	4	FG086C	FGN086C	FG086G	FGN086G	FG086BK	FGN086BK	FG086SS	

For extra durability, see Staked Posts on page 13. For additional flexibility in shipping see Split Posts page 13.


SHELVING ACCESSORIES

CLAMPS, HOOKS & BRACKETS

Secure, join, and customize shelving configurations with confidence.

Description	Case	Chromate	Green Epoxy	Black Epoxy	Stainless Steel
S-Hooks	2	93333	93333GN	93333BK	
Post Clamps	2	FPOCL	FPSPC	FPOCLBK	
U-Clamps	2				FPSSH


93333 93333BK 93333GN



S-Hooks

Eliminate 2 posts per adjacent unit. Two hooks required per shelf.

FPOCLBK FPSPC FPOCL




Post Clamps

Secure shelving units together. Requires clamps at front and back of units.

NSF

U-Clamps

Eliminate 2 posts per adjacent FPS-Plus™ unit. Two hooks required per shelf. Connect U-Clamps to green epoxy shelf trusses and then place FPS-Plus™ Panels over top.





FPSSH



FWPSBCH

FWPSBGN



Security Brackets

Secure units to the wall for greater safety.



FTSFZ

Triangular Feet

When additional stability is needed or to bolt units to the floor. Zinc plated. See HDS-System™.



FLEVASM

Leveling Assembly

Zinc die-cast post insert and zinc-plated threaded bolt with gray polymer cover to protect floors.



Replacement Covers (FPFC)



FPLASCAP

Post Caps

Plastic post caps to fill top of 1" posts. Packed 4 per package.

Split Sleeves

Holds shelves in place. Black plastic, one bag required per shelf. Packed 4 sets per package.

30058



FXHAND##C

Extended Handles

Use with 18" or 24" shelves. Adds more maneuverability to mobile units. Includes 2 plastic sleeves.

SECURITY, STABILITY & ESSENTIALS

Wall-mount safeguards, leveling components, and key replacement parts that keep every unit steady, safe, and ready for action.

Description	Item #	Case
Security Bracket, Chromate	FWPSBCH	1
Security Bracket, Green Epoxy	FWPSBGN	1
Triangular Feet, Zinc, 4 per pack	FTSFZ	1
Leveling Assembly, 4 per pack	FLEVASM	1
Replacement Covers, 4 per pack	FPFC	1
Post Caps, 4 per pack	FPLASCAP	1
Replacement Split Sleeves, 4 per pack	30058	1
Extended Handle, Chrome, 18"	FXHAND18C	1
Extended Handle, Chrome, 24"	FXHAND24C	1

DIVIDERS AND LEDGES


Use dividers to give all of your supplies a home and add additional organization to your kitchen. Prevent product loss with ledges, keeping products from falling off the edges.

Description	Case	Chromate	Green Epoxy	Black Epoxy	FPS-Plus™
Divider, 14" x 8"	2			FSD14BK	
Divider, 18" x 8"	4	FSD18C		FSD18BK	FSD188FPS
Divider, 24" x 8"	4	FSD24C		FSD24BK	FSD248FPS
Ledge, 18" x 4"	4	FL184C	FSL184FPS	FL184BK	FSL184FPS
Ledge, 24" x 4"	4	FL244C	FSL244FPS	FL244BK	FSL244FPS
Ledge, 30" x 4"	4				
Ledge, 36" x 4"	4	FL364C	FBL364FPS	FL364BK	FBL364FPS
Ledge, 48" x 4"	2	FL484C		FL484BK	
Ledge, 60" x 4"	2			FL604BK	



Dividers

Pressure fit dividers are 8" high and keep units organized. Order by shelf depth.



Ledges

Shelf ledges keep items from protruding or falling off. Ledges fit back or sides of units.

SHELVING ACCESSORIES

LABELS

Add efficiency to the work day and organize inventory with tools that bring clarity and order to every shelf.

Description	Item #	Case
Snap Under Label, 3", Black	FUTL3BK	1 pack of 4
Snap Under Label, 6", Black	FUTL6BK	1 pack of 4
Snap On Label, 3", Black	FSHELF3B	1 pack of 4
Snap On Label, 6", Black	FSHELF6B	1 pack of 4



FUTL#BK

Snap-Under Truss Shelf Labels

Black Plastic Shelf labels snap under front truss, fits most standard shelves. Holds most commercial 1 1/4" labels. Paper labels not included. Packed 4 per package.



FSHELF#B

Snap-On Plastic Shelf Labels

Shelf labels snap on to front of shelves. Available in black or clear. Holds most commercial 1 1/4" labels. Paper labels not included. Packed 4 per package.

RACKS & SLIDES

Purpose-built organizers for cans, spices, sheet pans, and drying needs. Many accessories can be used with wall shelving as well as standard shelving.

Description	Item #	Size	Tray Spacing	Case
Spice Rack Chromate	FWMSPICERACKCH	23" x 4.25" x 6"		1
Wire Can Rack Chromate	FFCR10CH	24" x 8" x 13"		1
Tray Slide 8 Tray Green Epoxy	FTSM8GN	22 1/2" x 19" x 14"	1 1/4"	1
Drying Rack 15 Tray Green Epoxy	FTS2448815GN	24" x 48"		2
Drying Rack 35 Tray Green Epoxy	FTS2448835GN	24" x 48"		2
Wire Tray Module 4 Tray Green Epoxy	FFTM184GN	15 1/2" x 8" x 16 1/2"	3 13/16"	4
Wire Tray Module 6 Tray Green Epoxy	FFTM246GN	15 1/2" x 8" x 22 1/2"	3 7/16"	4
Wire Tray Module 8 Tray Green Epoxy	FFTM188GN	15 1/2" x 8" x 16 1/2"	1 3/4"	4
Wire Tray Module 12 Tray Green Epoxy	FFTM2412GN	15 1/2" x 8" x 22 1/2"	1 5/8"	4
Wire Tray Slides 12 Tray Chromate	FWTS12CH	21 1/2" h x 13 1/2" w	1 1/4"	1
Wire Tray Slides 12 Tray Green Epoxy	FWTS12GN	21 1/2" h x 13 1/2" w	1 1/4"	1



FWMSPICERACKCH

Spice Rack

Great for EZ-Wall grid or attached to a wire shelf! Deep enough to accommodate many commercial size containers.



FFCR10CH

Wire Can Rack

Ensure proper inventory rotation with this wire can rack. Holds eight #10 cans or twelve #5 cans. Fits on 24" deep shelves.



FTSM8GN

Tray Slide Module


Holds up to 8 pans, install on a wire shelf or in a refrigerator. Includes 4 nylon cable ties for shelf mounting. Green Epoxy. 12-year rust warranty.



FTS2448

Drying Rack

The perfect product for holding almost any kind of tray for drying or storage. No need for additional attachments, **these are complete shelves!**



FFTM

Wire Tray Modules

The perfect product for holding almost any kind of tray. Attach to shelves with zip ties (included). Combine modules to fit entire lengths of shelves.



FWTS12

Wire Tray Slides

Mount slides to the desired width to accommodate up to 12 trays. Works best with 18", 21", and 24" shelving. Includes mounting hardware. 12-year rust warranty.



FTDA

Aluminum Truck Dollies


Heavy-duty extruded aluminum frame with full wrap-around bumpers. Compatible with Focus shelving and security cages. Minimal parts for quick, easy assembly. Swivel plate casters with 5" non-marking polyurethane wheels (2 with brakes, 2 without).



FGSTK0

Staked Posts – Chromate

Bottom foot insert is staked into the bottom of the post to guarantee a more durable connection in demanding applications. Post bolt connects through underside of the dolly and into the post foot receptacle.



FFSALS LV

Aluminum Split Sleeves

For high temperature, demanding, or conductive applications. Zinc retainer rings. 4 sets per bag. 1 set required per shelf.

HEAVY-DUTY ACCESSORIES

Reinforcement components designed to boost load capacity and durability for demanding storage environments.

Item #	Truck Dollies	Case
FTDA2436	24" x 36"	1
FTDA2448	24" x 48"	1
FTDA2460	24" x 60"	1

Item #	Staked Posts	Case
FGSTK063CH	63"	4

Item #	Split Sleeves	Case
FFSALS LV	Tapered aluminum split sleeves (4 per pack)	1 pack

WIRE SHELVING KITS

STATIONARY KITS

- Packed all-in-one in **retail-friendly packaging**
- Includes: 4 shelves with split sleeves and 4 each 74" stationary split posts
- Shipped in white corrugated box with a full color label

Chromate	Green Epoxy	Shelf Size	Case
FK183674CH	FK183674GN	18" x 36"	1
FK184874CH	FK184874GN	18" x 48"	1
FK243674CH	FK243674GN	24" x 36"	1
FK244874CH	FK244874GN	24" x 48"	1

- Replacement Stationary Split Posts: 74", shipped in 2 pieces per post and screwed together. Shippable through UPS/FedEx.

Chromate	Green Epoxy	Post Height	Case
FGSP74CH	FGSP74GN	74"	4

Split Posts offer easier installation, with no impact on load bearing.



WIRE SHELVING KITS

MOBILE KITS

- Available in Chromate and FPS-Plus™
- Easy to order, simple to build!
- Includes: 4 or 5 shelves, 4 63" posts, 4 each 5" polyurethane casters (2 swivel and 2 swivel w/brake) and 4 revolving bumpers
- 1000 lb. capacity

Chromate 4 - Shelf	Chromate 5 - Shelf	FPS-Plus™ 4 - Shelf	FPS-Plus™ 5 - Shelf	Shelf Size	Case
FMK1836694CH	FMK1836695CH	FMPS1836694	FMPS1836695	18" x 36"	1
FMK1848694CH	FMK1848695CH	FMPS1848694	FMPS1848695	18" x 48"	1
FMK1860694CH	FMK1860695CH	FMPS1860694	FMPS1860695	18" x 60"	1
FMK2136694CH	FMK2136695CH	FMPS2136694	FMPS2136695	21" x 36"	1
FMK2148694CH	FMK2148695CH	FMPS2148694	FMPS2148695	21" x 48"	1
FMK2160694CH	FMK2160695CH	FMPS2160694	FMPS2160695	21" x 60"	1
FMK2436694CH	FMK2436695CH	FMPS2436694	FMPS2436695	24" x 36"	1
FMK2448694CH	FMK2448695CH	FMPS2448694	FMPS2448695	24" x 48"	1
—	FMK2460695CH	FMPS2460694	FMPS2460695	24" x 60"	1



CHROMATE HEAVY-DUTY MOBILE KITS

- For heavy-duty applications, we recommend these kits for their staked posts, aluminum split sleeves, and aluminum truck dolly
- Includes 4 shelves, 63" staked posts, aluminum split sleeves, and aluminum truck dolly featuring swivel plate casters with non-marking 5" polyurethane wheels (2 with brakes)
- Available in Chromate
- See page 13 for individual stakes, sleeves, and dolly

Kit	Shelf Size	Case
FST243663CH	24" x 36"	1
FST244863CH	24" x 48"	1
FST246063CH	24" x 60"	1






SECURITY & SPECIALTY SYSTEMS

Protect, organize, and maximize valuable inventory with Security & Specialty Systems from Focus Foodservice. From lockable security cages for high-value products and chemicals to elegant wine storage solutions and space-saving HDS-Plus™ High Density Shelving, these specialized systems help operators improve security, increase storage capacity, and create efficient back-of-house environments.

SECURITY CAGES

Protect your valuable inventory with security cages from Focus Foodservice. These cages are enclosed wire shelves on legs or casters, designed to prevent theft while still allowing you to easily view your valuable goods, like wine or expensive cuts of meats. The heavy-duty wire construction is durable, and the doors close securely with our improved EZ-Latch and Hook System.

Improved EZ-Latch and Hook System for Quicker Set-Up and More Secure Closure



Revised Panel Hangers


Make it easier to position and drop panels into place saving valuable time during installation

Modified Shepherd's Hook


Guides the doors into position for a more secure closure - no more misalignment

Shelf Configuration Guide:


2-Shelf



3-Shelf



4-Shelf



CHROMATE KITS

Stationary kits consist of chromate shelves & 4 each FG074C 74" chromate posts. **Mobile kits** consist of chromate shelves, 4 each FGN063C 63" chromate posts & 1 set of 5" casters with bumpers (250 lbs. per wheel capacity, adds 6" total height to unit).

2-Shelf Stationary	2-Shelf Mobile	3-Shelf Stationary	3-Shelf Mobile	4-Shelf Stationary	4-Shelf Mobile	Cage Size	Case
FSSEC1836	FMSEC1836	FSSEC18363	FMSEC18363	FSSEC18364	FMSEC18364	18" x 36" x 63"	1
FSSEC1848	FMSEC1848		FMSEC18483	FSSEC18484	FMSEC18484	18" x 48" x 63"	1
FSSEC1860	FMSEC1860	FSSEC18603	FMSEC18603	FSSEC18604	FMSEC18604	18" x 60" x 63"	1
FSSEC2436		FSSEC24363		FSSEC24364	FMSEC24364	24" x 36" x 63"	1
FSSEC2448	FMSEC2448	FSSEC24483	FMSEC24483		FMSEC24484	24" x 48" x 63"	1
FSSEC2460	FMSEC2460	FSSEC24603		FSSEC24604	FMSEC24604	24" x 60" x 63"	1

GREEN EPOXY KITS

Stationary kits consist of green epoxy coated shelves & 4 each FG074G 74" green epoxy coated posts. **Mobile kits** consist of green epoxy coated shelves, 4 each FGN063G 63" green epoxy coated posts & 1 set of 5" casters with bumpers (250 lbs. per wheel capacity, adds 6" total height to unit).

2-Shelf Stationary	2-Shelf Mobile	3-Shelf Stationary	3-Shelf Mobile	4-Shelf Stationary	4-Shelf Mobile	Cage Size	Case
FSSEC2436GN	FMSEC2436GN	FSSEC24363GN	FMSEC24363GN	FSSEC24364GN	FMSEC24364GN	24" x 36" x 63"	1
FSSEC2448GN		FSSEC24483GN	FMSEC24483GN	FSSEC24484GN	FMSEC24484GN	24" x 48" x 63"	1
FSSEC2460GN	FMSEC2460GN	FSSEC24603GN	FMSEC24603GN		FMSEC24604GN	24" x 60" x 63"	1

HEAVY DUTY MOBILE CHROMATE KITS

Heavy Duty Mobile kits consist of chromate shelves, 4 each (FGSTK063CH) 63" chromate staked posts, aluminum truck dolly & aluminum split sleeves.

2-Shelf	3-Shelf	4-Shelf	Cage Size	Case
FHDMSEC2436		FHDMSEC24364	24" x 36" x 63"	1
FHDMSEC2448		FHDMSEC24484	24" x 48" x 63"	1
FHDMSEC2460	FHDMSEC24603	FHDMSEC24604	24" x 60" x 63"	1

CONVERSION KITS

Standard Conversion Kits convert your existing shelving unit into a security cage. Security cage only consists of front, back, and side panels, plus assembly hardware.

Chromate	Green Epoxy	Cage Size	Case
FSEC183663		18" x 36" x 63"	1
FSEC184863		18" x 48" x 63"	1
FSEC186063		18" x 60" x 63"	1
FSEC243663	FSEC243663GN	24" x 36" x 63"	1
FSEC244863	FSEC244863GN	24" x 48" x 63"	1
FSEC246063	FSEC246063GN	24" x 60" x 63"	1

Our **Module kit** fits on a 24" by 48" shelving unit and encloses around shelving spaced 20" apart to create a security module. Modules include side panels, back panels, door, and all mounting hardware. Shelves, posts, and locks not included. When adding multiple, separate top and bottom shelves are necessary.

Item #	Cage Size	Case
FSECM2448CH	24" x 48" x 20"	1



4-Shelf Heavy Duty Security Cage



4-Shelf Green Epoxy Security Cage



Security Cage Module

WINE STORAGE




NSF APPROVED: These commercially rated wire wine shelves are NSF Approved. Black epoxy is ideal for any storage location, wet or dry. Chromate is recommended for dry storage only.



FDWS2448CH (Shelves) FDWSK4854CH (Kit)



FDWSK4854CH (Shelves) FWSK3654BK (Kit)



FWBR45BK

WIRE WINE SHELVES

Each bottle rests securely in formed wire supports, preventing bottles from bumping into each other. The open wire design keeps labels visible for easy selection.

- Available in Chromate or Black Epoxy (can be used in coolers)
- Available in single bottle depth (14") or double bottle depth (24"). Double the storage in 15% less space!
- 24" depth shelves can be used with security cages!

Chromate	Black Epoxy	Single/Double	Size	Bottles	Case
FFWS1436CH	FFWS1436BK	Single	14" x 36"	9	4
FFWS1448CH	FFWS1448BK	Single	14" x 48"	12	4
FDWS2436CH	FDWS2436BK	Double	24" x 36"	18	4
FDWS2448CH	FDWS2448BK	Double	24" x 48"	24	4

WINE SHELVING KITS

Now available in easy-to-order kits—just one item number gets you both shelves and posts. Kits with posts 63" and taller include four security brackets for added wall stability.

Chromate	Black Epoxy	Shelf Size	Shelves	Post Height	Bottles	Case
FWSK3654CH	FWSK3654BK	14" x 36"	8	54"	72	1
FWSK3663CH	FWSK3663BK	14" x 36"	10	63"	90	1
FWSK3674CH	FWSK3674BK	14" x 36"	12	74"	108	1
FWSK4854CH	FWSK4854BK	14" x 48"	8	54"	96	1
FWSK4863CH	FWSK4863BK	14" x 48"	10	63"	120	1
	FWSK4874BK	14" x 48"	12	74"	144	1
FDWSK3654CH		24" x 36"	8	54"	144	1
FDWSK3663CH		24" x 36"	10	63"	180	1
FDWSK4854CH		24" x 48"	8	54"	192	1
FDWSK4863CH		24" x 48"	10	63"	240	1
FDWSK4874CH		24" x 48"	12	74"	288	1

WINE DISPLAY MODULE

A convenient and easy way to store and display wine or other bottles. Each unit holds up to 45 bottles. Labels are easy to see and identify. Can be free standing or secured to shelving. Available in chromate or black epoxy finish.

Chromate	Black Epoxy	Size	Bottles	Case
FWBR45CH	FWBR45BK	26 1/2" x 26 1/2" x 8"	45	1


WINE DISPLAY KITS

Create a professional wine display in minutes—no tools required. Perfect for bottle shops, this sturdy unit holds 82 bottles and offers both storage and presentation in one economical solution.

Kit includes:

- 2 wine rack modules
- 3 shelves (14" x 30")
- 4 stationary posts (63")

Item Number	Finish	Size	Bottles	Case
FDWR82CH	Chromate	14" x 30" x 63"	82	1
FDWR82BK	Black Epoxy	14" x 30" x 63"	82	1




FDWR82BK

WINE SECURITY KITS

Protect valuable bottles with durable security cage kits in a sleek chromate finish. Choose display module kits for easy label reading or double-depth shelves for maximum storage. Available in stationary or mobile options.

Item Number	Description	Cage Size	Bottles	Case
FSWR1836CH	Stationary kit. 2 display modules. Includes 2 each FWBR45CH, 1 each FSSEC1836, & 1 extra FF1836C shelf.	18" x 36"	90	1
FMWR1836CH	Mobile kit. 2 display modules. Includes 2 each FWBR45CH, 1 each FMSEC1836, & 1 extra FF1836C shelf.	18" x 36"	82	1
FDSWR2436CH	Stationary kit. Includes 8 each 24" x 36" (FDWS2436CH) double wine shelves and 1 stationary security cage kit.	24" x 36"	144	1
FDSWR2448CH	Stationary kit. Includes 8 each 24" x 48" (FDWS2448CH) double wine shelves and 1 stationary security cage kit.	24" x 48"	192	1
FDMWR2436CH	Mobile kit. Includes 8 each 24" x 36" (FDWS2436CH) double wine shelves and 1 mobile security cage kit.	24" x 36"	144	1
FDMWR2448CH	Mobile kit. Includes 8 each 24" x 48" (FDWS2448CH) double wine shelves and 1 mobile security cage kit.	24" x 48"	192	1




FMWR1836CH

HDS-PLUS™ SYSTEM

The HDS-Plus™ System combines stationary and mobile shelving units with an overhead track and a moving aisle to create a highly efficient storage solution.

Increases storage capacity by over 35%!



HDS-PLUS™ REPLACEMENT PARTS

Item #	Description	Case
FTSC6	6" Casters, set of 4	1 Set
FTSFZ	Triangular security feet, zinc, (4 per pkg)	1 Pack
FTSGB	Guide blocks, set of 4	1 Set
FTSJ2	Track joiners, set of 2	1 Set
FTSLC	Locking collars, set of 4 w/ Allen key	1 Set
FTST2	2' Track tube set (2 pieces)	1 Set
FTST3	3' Track tube set (2 pieces)	1 Set
FTST5	5' Track tube set (2 pieces)	1 Set
FTSCAP	End caps for track tubes, set of 4	1 Set
FTSU18	18" Stainless steel caster channels, set of 2	1 Set
FTSU21	21" Stainless steel caster channels, set of 2	1 Set
FTSU24	24" Stainless steel caster channels, set of 2	1 Set

Guide Block (FTSGB)

Locking Collar (FTSLC)

Security Feet (FTSFZ)

Casters (FTSC6)
6" Polyurethane stem casters feature heavy duty stainless axles. Weight capacity per caster is 250 lbs.

Caster Channels
Caster channels are made from 304 stainless steel. Choose from 18", 21", or 24" based on shelf width.

FOCUS'S HDS-PLUS™ SYSTEM IS MADE UP OF 5 EASY TO ASSEMBLE COMPONENTS: STATIONARY UNIT KITS, MOBILE UNIT KITS, OVERHEAD TRACK SETS, SHELVES, AND POSTS.

1 TRACK SETS

Available in lengths of 6 ft to 21 ft. Sections are connected together with easy-to-use track joiners allowing a large range of length combinations. End caps seal exposed ends of track tubes. Tracks over 18' require an additional stationary unit in the center. Kit includes:

- Track tubing
- Track joiners
- Plastic end caps

Item #	Description	Case	Item #	Description	Case
FTSTK6	Track set 6'	1	FTSTK14	Track set 14'	1
FTSTK7	Track set 7'	1	FTSTK15	Track set 15'	1
FTSTK8	Track set 8'	1	FTSTK16	Track set 16'	1
FTSTK9	Track set 9'	1	FTSTK17	Track set 17'	1
FTSTK10	Track set 10'	1	FTSTK18	Track set 18'	1
FTSTK11	Track set 11'	1	FTSTK19	Track set 19'	1
FTSTK12	Track set 12'	1	FTSTK20	Track set 20'	1
FTSTK13	Track set 13'	1	FTSTK21	Track set 21'	1

2 STATIONARY KITS

Stationary unit kits are used at each end of the system and occasionally in the center for additional security. Kit includes:

- Triangle security feet
- Guide blocks
- Locking collars

Item #	Description	Case
FTSSU	Stationary Unit Kit	1

3 MOBILE KITS

Mobile unit kits are used throughout the system. Select kit based on shelf width (18", 21", or 24"). Kit includes:

- Casters
- Caster channels – select based on shelf width
- Guide blocks

Item #	Description	Case
FTSMU18	18" Mobile unit kit	1
FTSMU21	21" Mobile unit kit	1
FTSMU24	24" Mobile unit kit	1

4 POSTS

Use 80" posts for stationary units or 74" posts for mobile units.

Description	Chromate #	Green Epoxy #	Stainless Steel #	Case
80" Posts (stationary)	FG080CH	FG080GN		4
74" Posts (mobile)	FGN074C	FGN074G	FGN074SS	4

5 SHELVES

Use the width (18", 21", or 24") of shelves to determine which mobile kit to order.

Size (w x l)	Chromate #	Green Epoxy #	FPS-Plus™ # SOGN=Solid VNGN=Vented	Stainless Steel #	Case
18" x 24"	FF1824C	FF1824G	FPS1824VNGN	FF1824SSS	4
18" x 30"	FF1830C	FF1830G		FF1830SSS	4
18" x 36"	FF1836C	FF1836G	FPS1836SOGN FPS1836VNGN	FF1836SSS	4
18" x 42"	FF1842C	FF1842G	FPS1842VNGN	FF1842SSS	4
18" x 48"	FF1848C	FF1848G	FPS1848VNGN	FF1848SSS	4
18" x 54"	FF1854C	FF1854G			2
18" x 60"	FF1860C	FF1860G	FPS1860VNGN	FF1860SSS	2
18" x 72"	FF1872C	FF1872G			2
21" x 24"	FF2124C	FF2124G			4
21" x 30"	FF2130C	FF2130G			4
21" x 36"	FF2136C	FF2136G	FPS2136VNGN		4
21" x 42"	FF2142C	FF2142G	FPS2142VNGN		4
21" x 48"	FF2148C	FF2148G	FPS2148VNGN		4
21" x 54"	FF2154C	FF2154G			2
21" x 60"	FF2160C	FF2160G	FPS2160VNGN		2
21" x 72"	FF2172C	FF2172G			2
24" x 24"	FF2424C	FF2424G		FF2424SSS	4
24" x 30"	FF2430C	FF2430G	FPS2430VNGN	FF2430SSS	4
24" x 36"	FF2436C	FF2436G	FPS2436SOGN FPS2436VNGN	FF2436SSS	4
24" x 42"	FF2442C	FF2442G	FPS2442VNGN	FF2442SSS	4
24" x 48"	FF2448C	FF2448G	FPS2448SOGN FPS2448VNGN	FF2448SSS	4
24" x 54"	FF2454C	FF2454G	FPS2454VNGN		2
24" x 60"	FF2460C	FF2460G	FPS2460SOGN FPS2460VNGN	FF2460SSS	2
24" x 72"	FF2472C	FF2472G			2




RACKS, CARTS, & DOLLIES

From receiving and storage to transport and replenishment, our Storage & Transport solutions are built to keep operations moving efficiently. Explore a versatile assortment of wire and aluminum dunnage racks, bakery racks, and mobile carts designed to maximize organization, improve workflow, and stand up to the demands of busy foodservice environments.

WIRE DUNNAGE SHELVING



NSF APPROVED: These commercially rated wire dunnage shelves are ideal for any load bearing storage application. Use green epoxy for any storage need, wet or dry. Chromate is recommended for dry storage only.



HEAVY-DUTY WIRE DUNNAGE SHELVES

- Offers more weight-bearing capacity than standard shelves
- Can be combined with other shelves to provide extra strength at the lower levels of a unit
- Removable wire deck ($\frac{5}{16}$ ") fits over reinforced 1" square, tubular frame and lifts off for easy, thorough cleaning
- **Capacity:** 36" length = 1,600 lbs / 48" length = 1,300 lbs / 60" length = 1,000 lbs

Chromate	Green Epoxy	Shelf Size	Case
	FFSM1836GN	18" x 36"	1
FFSM1848CH	FFSM1848GN	18" x 48"	1
FFSM1860CH	FFSM1860GN	18" x 60"	1
FFSM2436CH	FFSM2436GN	24" x 36"	1
FFSM2448CH	FFSM2448GN	24" x 48"	1
FFSM2460CH	FFSM2460GN	24" x 60"	1



3-SIDED TUBULAR FRAME

- Added around posts to provide additional stability
- Especially useful when the lowest shelf is 24" or more off the ground
- Constructed from 1" square tubing
- Can be used with Beer Keg Rack page 25

Chromate	Green Epoxy	Shelf Size	Case
FFSF1836CH	FFSF1836GN	18" x 36"	1
FFSF1848CH	FFSF1848GN	18" x 48"	1
FFSF1860CH	FFSF1860GN	18" x 60"	1
FFSF2436CH	FFSF2436GN	24" x 36"	1
FFSF2448CH	FFSF2448GN	24" x 48"	1
FFSF2460CH	FFSF2460GN	24" x 60"	1

STATIONARY WIRE DUNNAGE RACKS

- 13 1/2" high including cap and leveling feet
- Low profile makes it easy to store large, bulky items off the floor without taking up valuable shelf space
- Support frames are made of 1" square tubing
- Easy, tool-free assembly
- **Capacity:** 36" length = 1,600 lbs / 48" length = 1,300 lbs / 60" length = 1,000 lbs

Chromate	Green Epoxy	Shelf Size	Case
FFSDR1836CH	FFSDR1836GN	18" x 36"	1
FFSDR1848CH	FFSDR1848GN	18" x 48"	1
FFSDR1860CH	FFSDR1860GN	18" x 60"	1
FFSDR2436CH	FFSDR2436GN	24" x 36"	1
FFSDR2448CH	FFSDR2448GN	24" x 48"	1
FFSDR2460CH	FFSDR2460GN	24" x 60"	1



MOBILE WIRE DUNNAGE RACKS

- 12 1/2" high including cap and casters
- Casters are 5" non-marking polyurethane (2 with brakes, 2 without) with 5" revolving bumpers
- Support frames are made of 1" square tubing
- Easy, tool-free assembly
- **Capacity:** 36" length = 1,600 lbs / 48" length = 1,300 lbs / 60" length = 1,000 lbs

Chromate	Green Epoxy	Shelf Size	Case
FFMDR1836CH	FFMDR1836GN	18" x 36"	1
FFMDR1848CH	FFMDR1848GN	18" x 48"	1
FFMDR1860CH	FFMDR1860GN	18" x 60"	1
FFMDR2436CH	FFMDR2436GN	24" x 36"	1
FFMDR2448CH	FFMDR2448GN	24" x 48"	1
FFMDR2460CH	FFMDR2460GN	24" x 60"	1

ALUMINUM DUNNAGE SHELVING

STANDARD DUNNAGE RACKS

- Constructed from high tensile, extruded type 6063-T5 aluminum tube (1.5" x 1.5")
- Uniform wall thickness (0.062") and tube spacing (4.5")
- Heli-arc weld construction for better strength and sanitation
- All seams welded
- All feet capped with plastic inserts to prevent floor damage

Item #	Rack Size	Capacity (lbs)	Bars	Case
FADR302412	30" x 24" x 12"	2000	5	6
FADR36208	36" x 20" x 8"	2000	4	6
FADR362012	36" x 20" x 12"	2000	4	6
FADR362412	36" x 24" x 12"	2000	5	6
FADR422412	42" x 24" x 12"	2000	5	6
FADR48208	48" x 20" x 8"	2000	4	6
FADR482012	48" x 20" x 12"	2000	4	6
FADR482412	48" x 24" x 12"	2000	5	6
FADR602012	60" x 20" x 12"	1500	4	6
FADR602412	60" x 24" x 12"	1500	5	6

HEAVY-DUTY DUNNAGE RACKS

- Constructed from high tensile, extruded type 6063-T5 aluminum tube (1.5" x 1.75")
- Uniform wall thickness (0.07") and tube spacing (4.5")
- Heli-arc weld construction for better strength and sanitation
- All seams welded
- All feet capped with plastic inserts to prevent floor damage

Item #	Rack Size	Capacity (lbs)	Bars	Case
FHADR36188	36" x 18" x 8"	3000	4	6
FHADR361812	36" x 18" x 12"	3000	4	6
FHADR36248	36" x 24" x 8"	2500	5	6
FHADR48188	48" x 18" x 8"	2500	4	6
FHADR481812	48" x 18" x 12"	2500	4	6
FHADR48208	48" x 20" x 8"	2500	4	6
FHADR48248	48" x 24" x 8"	2500	5	6
FHADR60188	60" x 18" x 8"	2000	4	6
FHADR601812	60" x 18" x 12"	2000	4	6
FHADR602012	60" x 20" x 12"	2000	4	6
FHADR60248	60" x 24" x 8"	2000	5	6



HEAVY-DUTY MOBILE DUNNAGE RACKS

- Ideal solution for a receiving cart
- Optional handle, **sold separately**
- Platform type casters with 1 1/4" x 5" diameter wheel, polyurethane tread and ball bearing axle. Two swivel with brakes and two rigid.
- Uniform 0.07" wall thickness

Item #	Rack Size	Capacity (lbs)	Bars	Case
FMADR2420	24" x 20" x 8.25"	1200	4	2
FMADR3620	36" x 20" x 8.25"	1200	4	2
FALHDL20	Optional handle for 20" units – 34" height			1
FMADR3624	36" x 24" x 8.25"	1200	5	2
FMADR4824	48" x 24" x 8.25"	1200	5	2



NSF APPROVED: These commercially rated aluminum dunnage racks are ideal for use in freezers, coolers, displays, as well as packaging and storage areas.



Lifetime Warranty against rust or corrosion on aluminum racks. 5-Year Limited Warranty against any material defects.

ALUMINUM DUNNAGE SHELVING




ECONOMY DUNNAGE RACKS FROM UPDATE INTERNATIONAL

- Heli-arc weld construction for better strength and sanitation
- All feet capped with plastic inserts to prevent floor damage

Item #	Rack Size	Capacity (lbs)	Case
DNRK-1420	14" x 20" x 8"	1800	6
DNRK-1424	14" x 24" x 8"	1800	6
DNRK-1436	14" x 36" x 8"	1800	6
DNRK-1448	14" x 48" x 8"	1500	6
DNRK-2024	20" x 24" x 8"	1800	6
DNRK-2036	20" x 36" x 8"	1800	6
DNRK-2048	20" x 48" x 8"	1500	6
DNRK-2060	20" x 60" x 8"	1200	6
DNRK-2036T	20" x 36" x 12"	1800	6
DNRK-2048T	20" x 48" x 12"	1500	6

BEER KEG RACKS



Focus Foodservice's keg racks are specially designed for bars and taprooms. Keep kegs stable, organized, and clean with these impressive units. Removable wire deck (5/16") fits over reinforced 1" square tubular frame, lifts off for easy, thorough cleaning, and makes loading and unloading kegs much easier.

Contents:

- 2 heavy duty shelves with wire mats
- 2 three-sided frames for added strength and stability
- 4 each posts with leveling feet
- 1 wire shelf (63" units only)

Item #	Rack Size	Capacity (lbs)	Kegs	Case
FBKR184854	18" x 48" x 54"	1300	4	1
FBKR184863	18" x 48" x 63"	1300	4	1
FBKR186054	18" x 60" x 54"	1000	6	1
FBKR186063	18" x 60" x 63"	1000	6	1

CARTS & DOLLIES



ECONOMY BUS CART FROM UPDATE INTERNATIONAL

- Two locking casters. 300 lb capacity. Bumper guards on the corners.

Item #	Dimensions	Case
BC-2415SS	27 1/2" x 16 1/4" x 32 1/8"	1

CARTS & DOLLIES



FFC24363CH

CHROMATE WIRE CART KITS

Kits include:

- Wire shelves
- Two U-shaped handles, single grooved every 1" and double grooved every 2" for easy identification
- Two plastic post caps
- Four 4" casters (2 swivel & 2 swivel with brakes) with bumpers. Replacement casters: FCAST4

2-Shelf	3-Shelf	Size	Case
FFC18362CH*	FFC18363C	18" x 36" x 37"	1
FFC24362CH	FFC24363CH*	24" x 36" x 37"	1

*Shipped in full color carton



FDRDA21H

ALUMINUM DISH RACK DOLLY

This convenient and easy to roll dolly with handle accommodates all standard glass and dish racks. Lightweight aluminum is easy to roll. Convenient draining holes so water does not pool.

- Size: 21 1/2" square base. 6 1/8" high w/o handle, 33 3/8" high with handle
- 5" non-marking polyurethane swivel casters
- Non-marking corner bumpers
- 30" aluminum handle included

Item #	Description	Case
FDRDA21H	Aluminum Dish Rack Dolly with Handle	1



STAINLESS STEEL UTILITY CARTS

- Ultra-durable welded construction and reinforced hemmed front edge on shelves for increased strength
- Bumpers on legs/handle protect walls and doors
- Sound deadening panels under shelves minimize vibrations
- Weight capacity listed is evenly distributed
- 300 lb carts feature 22 gauge shelves and 20 gauge legs; 500 lb carts feature 20 gauge shelves and 18 gauge legs

Item #	Weight Capacity	Shelf Size	Shelf Spacing	Caster Size	Caster Type	Overall Size	Case
90312	300 lbs	15 1/2" x 24"	11 3/4"	3 1/2"	All swivel	16 1/4" x 27 1/2" x 32 1/8"	1
90322	300 lbs	18" x 27"	11 3/4"	3 1/2"	All swivel	18 3/8" x 30 3/4" x 33"	1
90411	500 lbs	15 1/2" x 24"	11 7/8"	4"	All swivel	16 3/4" x 27 3/5" x 32 1/8"	1
90422	500 lbs	18" x 27"	11 7/8"	4"	All swivel	19" x 31" x 32 1/8"	1
90444	500 lbs	21" x 35"	13 1/8"	5"	All swivel / non-marking / Polyurethane	22 3/8" x 39 1/4" x 37 1/4"	1

SHEET PAN RACKS

Z-RACK: WELDED, NESTABLE RACKS

These ultra heavy-duty, end-loading welded racks are truly remarkable. With their unique “Z Frame” support construction, they nest while not in use, **saving HUGE amounts of space.**

- Made from type 6063-T5 ultra-strong aluminum
- 1 1/4" ribbed slides for easier loading and unloading of pans
- 5" non-marking polyurethane casters – 2 swivel & 2 swivel with brakes
- Overall size: 20 13/16" x 26" x 70"
- Weight capacity listed is evenly distributed

Item #	Slide Spacing	Pan Capacity	Weight Capacity per Shelf	Case
FAZNBR12	5"	12	55 lbs	1
FAZNBR20	3"	20	55 lbs	1



K/D RACKS: EASY TO SHIP, EASY TO BUILD

Easiest to assemble rack on the market! **NSF® Approved.**

- Made from type 6063-T5 ultra-strong aluminum
- 1 1/4" ribbed slides for easier loading and unloading of pans
- 5" non-marking polyurethane swivel casters
- Overall size: 20 13/16" x 26" x 70"
- Shippable by UPS or FedEx
- Weight capacity listed is evenly distributed

Item #	Slide Spacing	Pan Capacity	Weight Capacity per Shelf	Case
FAKDBR12	5"	12	55 lbs	1
FAKDBR20	3"	20	55 lbs	1



ACCESSORIES & REPLACEMENT PARTS

- **Bakery Rack Cover:** 3 zippers for convenient and easy removal and placement of cover over rack. Approved for use in dry storage, coolers and freezers without cracking. 12 millimeter thickness.
- **Replacement Casters:** Replacement casters available in swivel or swivel with brake. **NSF® Approved.**

Item #	Description	Case
FBRCNF	Nylon cover for full size bakery racks – 24" x 28.5" x 62.5"	1
FBRCST5B	5" swivel stem caster w/brake for aluminum bakery racks	4
FBRCST5S	5" swivel stem caster for aluminum bakery racks	4



NSF **NSF APPROVED:** These commercially rated aluminum bakery racks are constructed for ultra heavy-duty use.



Lifetime Warranty against rust or corrosion on aluminum racks. 5-Year Limited Warranty against any material defects.



APR-20HD



APR-10HT



APR-10HD

UPDATE INTERNATIONAL K/D SHEET PAN RACKS

From Update International, these Sheet Pan Racks are shipped knocked down and are easy to assemble.

Item #	Description	Pans	Case
APR-20HD	Full Size Rack: 20 1/2" x 26" x 69 1/8". 75 lb capacity.	20	1
APR-10HD	Half Size Rack: 20 1/2" x 26" x 39"	10	1
APR-10HT	Half Size Rack w/ Work Top: 20 1/2" x 26" x 39"	10	1



Ideal for catering and mobile food prep in tight spaces.

SEE PAGE 43 FOR FOCUS FOODSERVICE SHEET PANS!



WALL SHELVING

Maximize vertical space and keep essential items within easy reach with versatile wall shelving solutions from Focus Foodservice. From the modular EZ-WALL™ grid system to direct wall-mount and post-mount wire shelving, plus knock-down aluminum and stainless steel shelves, these systems provide durable, flexible storage for kitchens, prep areas, and more.

EZ-WALL™



Anywhere above a sink, worktable or even above a large piece of equipment can be an ideal place for more storage. Focus Foodservice's EZ-Wall™ modular wall storage system can be customized to maximize your workstations' efficiencies. Getting organized has never been so EZ.

CUSTOMIZE YOUR STORAGE

EZ-Wall™ utilizes a grid system with an array of accessories to help you configure the perfect vertical storage space. Horizontal and vertical brackets can safely mount the grid system anywhere along your walls. Use the grid and brackets to layer shelves, wire baskets, hooks, and specialty accessories like spice racks and bottle drying racks to create the custom storage solution that perfectly fits your kitchen.

DURABLE & SANITARY


Focus Foodservice materials are manufactured to the highest quality specifications. The EZ-Wall™ system is available in green epoxy coating, ideal for wet environments like over the sink. The open wire design encourages airflow and reduces the buildup of dust and dirt making EZ-Wall™ a great option for storing ingredients and prep utensils.



GRID BRACKETS (VERTICAL & HORIZONTAL)

Brackets can be used to hang wire grids. Vertical and horizontal brackets are available in chromate and green epoxy ranging from 12" to 40". Hardware included.

Chromate #	Green Epoxy #	Description	Size	Case
FWMBKT12CH	FWMBKT12GN	12" Horizontal Bracket	12" x 0.66" x 1.75"	4
FWMBKT18CH	FWMBKT18GN	18" Horizontal Bracket	18" x 0.66" x 1.75"	4
FWMBKT36CH	FWMBKT36GN	36" Horizontal Bracket	36" x 0.66" x 1.75"	4
FWMBKT48CH	FWMBKT48GN	48" Horizontal Bracket	48" x 0.66" x 1.75"	4
FWMBKT60CH	FWMBKT60GN	60" Horizontal Bracket	60" x 0.66" x 1.75"	4
	FWMVB17GN	17" Vertical Bracket	17" x 2.375" x 1.75"	4
FWMVB31CH	FWMVB31GN	31" Vertical Bracket	31" x 2.375" x 1.75"	2
FWMVB41CH	FWMVB41GN	44" Vertical Bracket	44.5" x 2.375" x 1.75"	2



FWMG2448GN


WIRE GRIDS (GREEN EPOXY)

Wire grids are the foundation for this modular system. Hang them from brackets and move accessories around to fit your workspace.

Green Epoxy #	Description	Size	Case
FWMG1836GN	18" x 36" Wire Grid	36.25" x 18.25" x 0.5"	4
FWMG2424GN	24" x 24" Wire Grid	24.25" x 24.25" x 0.5"	4
FWMG2436GN	24" x 36" Wire Grid	24.25" x 36.25" x 0.5"	2
FWMG2448GN	24" x 48" Wire Grid	48.25" x 24.25" x 0.5"	2
FWMG3036GN	30" x 36" Wire Grid	30.25" x 36.25" x 0.5"	2



FWMSB18CH in use



FWMDB14GN

EZ-WALL SHELF MOUNTS

Single and double shelf supports in green epoxy and chromate finishes mount to the vertical brackets to create a platform for adding shelves. Compatible with Focus Shelves, see page 6 for available shelf sizes.

Chromate #	Green Epoxy #	Description	Size	Case
FWMSB14CH	FWMSB14GN	Single Mount / 14" Shelf	16.5" x 9" x 1.5"	4
FWMSB18CH	FWMSB18GN	Single Mount / 18" Shelf	20.25" x 9" x 1.5"	4
FWMSB21CH	FWMSB21GN	Single Mount / 21" Shelf	21" x 6" x 2"	4
	FWMSB24GN	Single Mount / 24" Shelf	26.5" x 9" x 1.5"	4
FWMDB14CH	FWMDB14GN	Double Mount / 14" Shelf	16.5" X 9" X 1.5"	4
FWMDB18CH	FWMDB18GN	Double Mount / 18" Shelf	20.25" X 9" X 1.5"	4
FWMDB21CH	FWMDB21GN	Double Mount / 21" Shelf	23.25" X 9" X 1.5"	4
	FWMDB24GN	Double Mount / 24" Shelf	26.5" X 9" X 1.5"	4



EZ-WALL™ KIT

This EZ-WALL™ Kit Includes:

- (8) Stainless Steel Direct Wall Mounting Brackets
- (6) Green Epoxy Coated Peg Hooks
- (6) Stainless Steel "J" Hooks
- (2) Green Epoxy Coated 24" x 24" Grids
- (1) Green Epoxy Coated 13.5" x 5" x 7" Basket
- (1) Green Epoxy Coated 17.5" x 7.5" x 7" Basket

Full color packaging shows how this unit can be used for prep or wash station.

Item #	Description	Case
FWMKIT1	EZ-Wall™ Kit	1

EZ-WALL™ ACCESSORIES

BASKETS

Wire baskets are great for EZ-Wall or Standard Shelving. The integrated hooks wrap around the outer truss wires and allows for easy storage and accessibility without taking up valuable shelf space.



Chromate #	Green Epoxy #	Description	Size	Case
FWMBSKT1357CH	FWMBSKT1357GN	Wire Basket	13.5" x 5" x 7"	4
FWMBSKT1377CH	FWMBSKT1377GN	Wire Basket	17.5" x 7.5" x 5	4
FWMBSKT17710CH	FWMBSKT17710GN	Wire Basket	17.5" x 7.5" x 10"	4



MOUNTS & HOOKS (STAINLESS STEEL)

Use J Hooks to hang things from your wire grids. Use Direct Wall Mount brackets to skip the horizontal/vertical brackets and mount grids to wall.




Item #	Description	Size	Case
FWMH00KSS	J Hooks (12 per pack)	3.5" x 0.5" x 1.25"	1 Pack
FWMB6SS	Direct Wall Mounts (6 per pack)	2" x 1" x 1.5"	1 Pack
FWMBHSS6	Leveling Plastic Bin Holder (6 per pack)	3.5" x 2.5" x 1"	1 Pack
FURH00KSS	Stainless steel hooks (20 per pack)	2.75"	1 pack



ACCESSORIES (CHROMATE & GREEN EPOXY)

Build the perfect wall shelving system with our EZ-Wall™ Accessories.

Chromate #	Green Epoxy #	Description	Size	Case
FWMGMS3019CH	FWMGMS3019GN	Cantilever Shelf	29" x 19" x 6"	4
	FWMGMS3619GN	Cantilever Shelf	35" x 19" x 6"	2
	FWMGMS4819GN	Cantilever Shelf	47" x 19" x 6"	2
FWMSPICERACKCH		Spice Rack	23" x 4.25" x 6"	6
FWMEGH00KCH	FWMEGH00KGN	Peg Hooks (12 / pack)	7.25" x 1.25" x 5.25"	20
	FWMCUHG	Plastic Utensil Holder	5.5" x 7.25"	8
	FWMTDRGN	Drying/Storage Rack	46.5" x 15" x 11"	2
	FWMBHR6GN	Bottle Drying Rack	8" x 12" x 3.75"	12



WALL-MOUNTED UTENSIL RACK



STAINLESS STEEL UTENSIL RACK

Versatile rack can be installed virtually anywhere within minutes. Provides easy organization and quick access to kitchen utensils. Shipped in full-color packaging – perfect for cash & carry!

- Heavy gauge 18/8 stainless steel construction
- Includes 20 ea 2 3/4" stainless steel hooks
- Dimensions – 18" x 24" x 3"
- Mounting brackets included

Item #	Description	Case
FUR1824CHSS	Stainless steel utensil rack	1
FURHOOKSS	2 3/4" stainless steel hooks	20 hooks

K/D WALL SHELF KITS



K/D SHELF KITS

- Available in two heavy-duty options: 18 gauge stainless steel or 16 gauge aluminum
- 1.5" downward front edge and turned up back edge
- Includes 2 brackets and 1 shelf
- Mounting hardware not included
- Weight capacity listed is evenly distributed
- **Great for Cash & Carry!**

Stainless Steel #	Aluminum #	Weight Capacity (lbs)	Size	Case
FWSSS1224	FWSAL1224	210	12" x 24"	1
FWSSS1236	FWSAL1236	230	12" x 36"	1
FWSSS1248	FWSAL1248	255	12" x 48"	1
FWSSS1260	FWSAL1260	285	12" x 60"	1



DIRECT WALL-MOUNT BRACKET SHELVING



FWS1436G

GREEN EPOXY WALL-MOUNT SHELVING KITS

Get everything you need to mount a green epoxy shelf directly to your wall.


- 2 ea wall-mount shelving brackets
- Green epoxy wire shelf
- 4 chromate caps
- Hardware to mount brackets to wall is NOT included
- 400 lb / shelf weight capacity evenly distributed

Item #	Shelf Size	Bracket Size	Case
FWS1436G	14" x 36"	14"	1
FWS1448G	14" x 48"	14"	1
FWS1836GN	18" x 36"	18"	1
FWS1848GN	18" x 48"	18"	1

DIRECT WALL-MOUNT BRACKETS

Brackets are securely welded to the mounting plate for greater durability. Because mounting plate is welded to the bracket, it is much easier to align and install to a wall. The back of the shelf is within a fraction of an inch from the wall to save space. Use single brackets at shelf ends and double brackets for adjoining shelves. Hardware to mount brackets to wall is NOT included. Order shelves separately.

Chromate # (Single)	Green Epoxy # (Single)	Chromate # (Double)	Green Epoxy # (Double)	Bracket Size	Case
FWB12SCH	FWB12SGN	FWB12DCH	FWB12DGN	12"	2
FWB14SCH	FWB14SG	FWB14DCH	FWB14DG	14"	2
FWB18SCH	FWB18SG	FWB18DCH	FWB18DG	18"	2
FWB21SCH	FWB21SGN		FWB21DGN	21"	2
FWB24SCH	FWB24SGN	FWB24DCH	FWB24DGN	24"	2



WALL-MOUNT POST SHELVING

Post-type mounting system can meet your exact needs for wall shelving. Posts and supports are available to hold anything from a single small shelf to many tiers of shelving running continuously along a wall.

POSTS


- Grooves run the entire post length at 1" intervals making it easy to position shelves exactly where you need them
- Tapered split-sleeves lock securely into grooves
- Shelf collars match the taper for a tight, stable fit

ASSEMBLY & SIZES

- Each set includes 1 post + 2 wall-mount post brackets (top & bottom)
- 33" posts: supplied with 1 intermediate bracket
- 54" & 63" posts: supplied with 2 intermediate brackets for added stability

ORDERING NOTES

- Wall-mount hardware not included
- Shelves sold separately



WALL-MOUNT POST KITS

Wall-Mount Post Kits are ordered by vertical length of posts and include 2 posts and all needed brackets to mount posts to the wall (top, bottom, and intermediate*).


*Intermediate bracket supplied with 33" post (1 bracket) and 54"-63" post (2 brackets)

Chromate #	Green Epoxy #	Post Length	Included Wall/Post Brackets	Case
FWPS13CH	FWPS13GN	13"	Top, Bottom	1
FWPS24CH	FWPS24GN	24"	Top, Bottom	1
FWPS33CH	FWPS33GN	33"	Top, Bottom, (1) Intermediate	1
FWPS54CH	FWPS54GN	54"	Top, Bottom, (2) Intermediate	1
FWPS63CH		63"	Top, Bottom, (2) Intermediate	1

POST-MOUNT SHELF BRACKETS

Post-Mount Shelf Brackets are ordered separately based on depth of shelf. See page 9 for available shelf sizes.

Chromate # (Single)	Green Epoxy # (Single)	Chromate # (Double)	Green Epoxy # (Double)	Bracket Size	Case
FPMB14SCH	FPMB14SGN	FPMB14DCH		14"	2
FPMB18SCH	FPMB18SGN	FPMB18DCH	FPMB18DGN	18"	2
FPMB21SCH		FPMB21DCH		21"	2
FPMB24SCH	FPMB24SGN	FPMB24DCH	FPMB24DGN	24"	2



WALL-MOUNT POST BRACKETS (REPLACEMENTS)

Chromate #	Green Epoxy #	Description	Case
FWPBKTCH	FWPBKTGN	Additional top or bottom bracket (2 pieces)	1
FWPIBCH	FWPIBGN	Additional intermediate bracket	1

EXAMPLE ORDER	
33" Wall-Mount Post Kit in Chromate	FWPS33CH
21" Depth Single Chromate Bracket (2pk)	FPMB21SCH
21" Depth Single Chromate Bracket (2pk)	FPMB21SCH
21" Depth x 60" Length Chromate Shelf (2pk)	FF2160C



CASTERS

Add mobility and flexibility to shelving, work tables, and equipment with durable caster solutions from Focus Foodservice. Available in a variety of sizes and configurations, our casters help operators improve workflow, simplify cleaning, and easily reconfigure spaces to meet the changing demands of busy foodservice environments.

CASTERS

UNIVERSAL POST CASTERS

- Constructed to fit most 1" posts with or without threaded inserts
- Heavy-duty polyurethane non-marking casters
- 2 each swivel and 2 each swivel with brakes
- **Quick & Easy Assembly:** Secure with inner threads and/or outer set screws (use hand or screwdriver)
- 220 lb. per wheel capacity

Item #	Description	Capacity per Caster	Case
FCAST5	5" Universal Casters for Posts. 2 set screws per caster, 2 swivel casters, 2 swivel casters with brakes	220 lbs	4



FCAST5 with and without brakes



FCAST5 can be used with both stationary and mobile posts

THREADED STEM & EXPANDABLE CASTERS



2.5" Universal Threaded Stem Casters
Grease-resistant polyolefin wheels with brakes.
Adds 4" of total height of equipment.
FTC1213125



3" Universal Threaded Stem Casters
3" grease-resistant polyolefin wheels with brakes.
FTC12133



5" Heavy Duty Universal Threaded Stem Casters
5" grease-resistant, non-marking, polyurethane wheels w/ brakes. Adds 6" of total height.
FTC34105HD



5" Heavy Duty Universal Threaded Stem Casters
5" grease-resistant, non-marking, polyurethane wheels w/ brakes. Adds 6" of total height. 2 ea swivel and swivel w/brakes. **FTC121351**



5" Heavy-Duty Polyurethane Threaded Stem Casters w/ Bumpers
5" grease-resistant, non-marking, polyurethane wheels w/ brakes and bumpers. Adds 6" of total height. 2 ea swivel and swivel w/brakes.
FTCAST5



Expandable Threaded Stem Casters
Grease-resistant, polyurethane non-marking wheels. Make worktables mobile. Rubber stems expand inside worktable legs for a snug fit.
FECST5, FECST5B, FECST3

Item #	Description	Size	Capacity per Caster	Bumpers	Swivel	Swivel w/ Brake
FTC1213125	2.5" Universal Threaded Stem Casters	2.5"	220 lbs	No		4
FTC12133	3" Universal Threaded Stem Casters	3"	220 lbs	No		4
FTC34105HD	5" Heavy Duty Universal Threaded Stem Casters	5"	250 lbs	No		4
FTC121351	5" Heavy Duty Universal Threaded Stem Casters	5"	250 lbs	No	2	2
FTCAST5	5" Heavy-Duty Polyurethane Threaded Stem Casters w/ Bumpers	5"	200 lbs	Yes	2	2
FECST5	5" Expandable Threaded Stem Caster w/ Bumpers	5"	200 lbs	Yes	2	2
FECST5B	5" Expandable Threaded Stem Caster w/ Brakes & Bumpers	5"	200 lbs	Yes		4
FECST3	3" Expandable Threaded Stem Caster	3"	300 lbs	No		4

STEM CASTERS



5" Thermoplastic Rubber (TPR) Casters

Materials specific for noise reduction. Shelving stem casters, non-threaded. Adds 6" total height to equipment.

FTPRCST5, FTPRCST5B, FTPRCST5C



5" Heavy-Duty Polyurethane Casters

Stem casters, non-threaded. Adds 6" total height to equipment.

FSCAST5, FSCAST5B, FSCAST5C



4" Heavy-Duty Polyurethane Casters

Stem casters, non-threaded. Adds 5.4" total height to equipment.

FSCAST4, FSCAST4B

Item #	Description	Size	Capacity per Caster	Bumpers	Swivel	Swivel w/ Brake
FTPRCST5	5" TPR Caster Set (2 brake, 2 swivel) w/ Bumpers	5"	250 lbs	Yes	2	2
FTPRCST5B	5" TPR Swivel Casters w/ Brake & Bumpers	5"	250 lbs	Yes		4
FTPRCST5C	5" TPR Swivel Casters w/ Bumpers	5"	250 lbs	Yes	4	
FSCAST5	5" HD Polyurethane Caster Set (2 brake, 2 swivel) w/ Bumpers	5"	250 lbs	Yes	2	2
FSCAST5B	5" HD Polyurethane Swivel Casters w/ Brake & Bumpers	5"	250 lbs	Yes		4
FSCAST5C	5" HD Polyurethane Swivel Casters w/ Bumpers	5"	250 lbs	Yes	4	
FSCAST4	4" HD Polyurethane Caster Set (2 brake, 2 swivel) w/ Bumpers	5"	250 lbs	Yes	2	2
FSCAST4B	4" HD Polyurethane Swivel Casters w/ Brake & Bumpers	5"	250 lbs	Yes		4

RIGID CASTERS

- 6" Heavy-Duty Rigid Polyurethane Casters
- Adds approximately 7" of total height of equipment
- Rigid caster must be held in place by channel (sold separately) see page 20 for caster channels

Item #	Description	Capacity per Caster	Case
FTSC6	6" rigid casters	250 lbs	4



Rigid Casters (FTSC6)

Used with HDS-Plus™ System

CASTER BUMPERS

- 5" Revolving Donut Bumpers
- Compatible with 5" casters
- Non-marking rubber bumpers fit snugly over posts
- Minimize damage to walls and furniture

Item #	Description	Case
FBUMP5	5" PVC revolving donut bumpers	4



Caster Bumpers (FBUMP5)

PLATE CASTERS

These casters' stainless steel mounting plates feature multiple bolt holes to fit an assortment of equipment.



2" Universal Low-Profile Plate Casters

2" wheels with brakes, adds 3" to overall height.
3.5" Square Plates. Temp. range: 14°F to 212°F.
FPCS352



5" Square Plate Casters

Grease-resistant, non-marking, polyurethane wheels with brakes. 4" Square Plates. Temp. range: 14°F to 212°F.
FPCST5



5" HD Universal Square Plate Casters

Grease-resistant, non-marking, polyurethane wheels w/ brakes. 500 lb per wheel, for heavy-duty applications. Temp. range: 14°F to 212°F.
FPCST5HD



5" Universal Square Plate Casters

Grease-resistant, non-marking, polyurethane wheels with brakes. 3.5" Square Plates. Temp. range: 14°F to 212°F.
FPCST355



5" Universal Rectangular Plate Casters

Grease-resistant, non-marking, polyurethane wheels w/ brakes. 2.4" x 3.6" Plates. Temp. range: 14°F to 212°F.
FPCST2X35



Adjustable Height 3 1/4" Square Plate Fryer Casters w/Brakes

3" Grease-resistant, non-marking, polyurethane wheels w/ brakes. 3 1/4" Square Plates. Temp. range: 14°F to 212°F. Adds 9 1/2" of total height to equipment.
FPCF353



5" HD Universal Triangular Plate Casters

Grease-resistant, non-marking, polyurethane wheels w/ brakes. 5 3/8" x 5 3/8" x 7 1/2" Triangular Plates. Temp. range: 14°F to 212°F.
FPCTR5


Item #	Description	Wheel Size	Capacity per Caster	Plate	Swivel	Swivel w/ Brake
FPCS352	2" Universal Low-Profile Square Plate Casters w/Brakes	2"	200 lbs	3.5" Square		4
FPCST5	5" Square Plate Casters w/Brakes	5"	250 lbs	4" Square		4
FPCST5HD	5" Heavy-Duty Universal Square Plate Casters w/Brakes	5"	500 lbs	4" Square		4
FPCST355	5" Universal Square Plate Casters w/Brakes	5"	250 lbs	3.5" Square		4
FPCST2X35	5" Universal Rectangular Plate Casters w/Brakes	5"	250 lbs	2.4" x 3.6" Rectangle		4
FPCF353	Adjustable 3 1/4" Square Plate Fryer Casters w/Brakes	3"	200 lbs	3.25" Square	2	2
FPCTR5	5" Heavy-Duty Universal Triangular Plate Casters	5"	500 lbs	5 3/8" x 5 3/8" x 7 1/2" Triangle	2	2



SMALLWARES

Complete your back-of-house operation with a curated selection of foodservice essentials. Featuring commercial can openers, bakeware, juice presses, and other hardworking tools, these smallwares are designed to enhance efficiency, durability, and day-to-day performance. Pair them with our shelving and storage solutions to create organized, productive workspaces throughout your operation.

CAN OPENERS



COMPACT CAN OPENERS

The Compact Can Opener is small and easy to store anywhere in the kitchen. It features a durable manual crank and sharp rotary knife. The no-slip silicone grip will keep hands comfortable and provide leverage for food prep. Dimensions: 6 ½" x 1 ¾" x 1"


Item #	Description	Case
107	2 ea Red, Black, and White	6
107RD	Red	6
107BK	Black	6
107WH	White	6



ERGO CAN OPENER

The red silicone padded crank and molded handles provide a smooth and comfortable grip. An integrated cap remover makes it a must-have for any professional kitchen. Dimensions: 9" x 4 1/2" x 2"


Item #	Description	Case
1507	Ergo Grip Can Opener, Red	6



COMFORT GRIP CAN OPENER

The Comfort Grip Can Opener features extra padded handles, a smooth-turning knob, sharp cutting wheel, and built-in cap remover. Dimensions: 8 ½" x 4" x 1"

Item #	Description	Case
709BK	Comfort Grip Opener, Black	6



PORTABLE CAN OPENERS

This Portable Can Opener features comfortable grips, a smooth-turning knob, and a sharp cutting wheel for easy, efficient can-opening. The smooth gear-driven feed system ensures a clean cut, and the durable steel construction guarantees long-lasting performance. Plus, the built-in cap remover makes it a versatile kitchen tool. Dimensions: 8 1/2" x 4" x 2"

Item #	Description	Case
407	2 ea Red, Black, and White	6
407RD	Red	6
407BK	Black	6
407WH	White	6
407BL	Blue	6



EASY CRANK CAN OPENERS

Our best-selling can opener! Effortlessly open cans with the 6090 Easy Crank Can Opener. Its large, easy-to-turn crank and sharp cutting wheel make food prep a breeze. The extra-long handles provide a comfortable grip, reducing hand strain. The 6080 Extra Easy Can Open has all the same features plus a pivoting knob that can be pulled out while in use then stored flat. Dimensions: 10 1/2" x 4 1/2" x 4"

Item #	Description	Case
6090	Easy Crank Can Opener, Black	36
6080	Extra-Easy Crank Can Opener, Black	6



JAR OPENER

The Comfort Grip Jar Opener's adjustable design ensures a secure fit, while the spring-loaded action provides smooth and efficient operation. The soft, slip-resistant rubber handle offers a comfortable grip, reducing fatigue during use.

Dimensions: 8 7/8" x 3 7/8" x 7/8"

Item #	Description	Case
711BK	Jar Opener, Black	6



WALL MOUNT CAN OPENER

Easily install this practical tool for effortless food prep.

Don't search for misplaced can openers; the wall mount can opener stays exactly where you left it. When not in use, it conveniently folds flat against the wall to save space.

Dimensions: 8 7/8" x 4 7/8" x 3"

Item #	Description	Case
609WH	Wall Can Opener, White	6



PRO-GRIP CAN OPENER

Featuring extra padded handles for comfort, a smooth-turning knob for easy operation, and a sharp cutting wheel for quick and clean cuts, the Pro-Grip Can Opener is a must-have for any kitchen. The built-in hanging hole makes it a perfect fit for wall grid storage systems, saving valuable counter space.

Dimensions: 9" x 4 1/2" x 2"

Item #	Description	Case
EGU-11	Pro-Grip Can Opener, 8 1/4" L	12



TABLE MOUNT CAN OPENER

This durable table-mount can opener quickly and efficiently opens cans up to #10 size. Constructed of nickel-plated cast iron with a sturdy steel base plate, it features a 14" shaft for reliable performance and long-lasting durability in high-volume foodservice operations.

Dimensions: 9-1/4"L x 19 1/2"H, 14" shaft

Item #	Description	Case
COTM-1	Table-Mount Can Opener, 14" H	5

BAKEWARE



FULL SIZE ALUMINUM SHEET PAN

- Open bead design
- Heavy-duty 12 gauge aluminum for superior strength and even heating
- Easy to clean


Item #	Description	Size	Case
900600	Full Size Aluminum Sheet Pan, 12 Gauge	18" x 26" x 1"	12



HALF SIZE STAINLESS STEEL SHEET PAN

- Heavy-weight 304 stainless steel for strength and durability
- Easy to clean open bead
- Resistant to pitting and corrosion
- Dishwasher safe

Item #	Description	Size	Case
901318SS	Half Size Stainless Steel Sheet Pan	13" x 18" x 1"	6



ALUMINUM SHEET PAN EXTENDERS

- Increase the versatility of your sheet pans with these ultra-light and strong extenders
- Extra durable aluminum channel construction with stainless steel reinforcing corners
- Flat top edges - easy to grab and move
- 2" (5.0 cm) high.

Item #	Description	Size	Case
FSPA1624	Full Size Sheet Pan Extender, Aluminum	26" x 18" x 2"	6
FSPA1116	Half Size Sheet Pan Extender, Aluminum	18" x 13" x 2"	6
FSPA811	1/4 Size Sheet Pan Extender, Aluminum	12½" x 9¼" x 2"	6

JUICE PRESSES

OLYMPUS & JUPITER JUICE PRESSES

Our patented design allows for maximum pressure with minimal effort. Large opening between base legs allow for larger containers to be used for juice collection for a more efficient operation. Wide base design creates greater stability. 18/8 stainless steel perforated strainer cone and funnel cup remove for easy cleaning. Rubberized handle stop provides quiet operation.

- Constructed from ultra-strong and durable cast iron
- Enamel finish resists citrus acids, pitting, and corrosion
- Sure-grip rubber handles are ergonomic
- Rubber suction cup feet for safe operation

Item #	Description	Base Footprint	Height*	Case
97336	Jupiter Black Mid-Size Juice Press	8 3/4" x 7 1/4"	27 1/2"	2
97332	Jupiter White Mid-Size Juice Press	8 3/4" x 7 1/4"	27 1/2"	2
97302	Olympus White Large Juice Press	9 1/4" x 7 3/8"	31"	2
97306	Olympus Black Large Juice Press	9 1/4" x 7 3/8"	31"	2

* Height measured with handle in upright position



FOCUS
FOODSERVICE



FOCUS
FOODSERVICE

REPLACEMENT PARTS

Item #	Description	Case
17449	Black Rubber Handle for Mid/Large Juicer	55
17443	SS Strainer Cone for Mid/Large Juicer	48
17448	SS Funnel Cup for Mid/Large Juicer	94
17442	Suction Cup Feet for Mid/Large Juicer	354

INDEX

107.....	41	FBUMP5.....	38	FF1860BK.....	9	FFMDR2448CH.....	23	FG086G.....	10
107RD.....	41	FCAST5.....	37	FF1860C.....	9	FFMDR2448GN.....	23	FG086SS.....	10
107WH.....	41	FDMWR2436CH.....	19	FF1860G.....	9	FFMDR2460CH.....	23	FGN007C.....	10
407.....	41	FDMWR2448CH.....	19	FF1860SSS.....	9	FFSALSLV.....	13	FGN007G.....	10
407BK.....	41	FDRDA21H.....	26	FF1872BK.....	9	FFSDR1836CH.....	23	FGN013C.....	10
407BL.....	41	FDSWR2436CH.....	19	FF1872C.....	9	FFSDR1836GN.....	23	FGN013G.....	10
407RD.....	41	FDSWR2448CH.....	19	FF1872G.....	9	FFSDR1848CH.....	23	FGN021CH.....	10
407WH.....	41	FDWR82BK.....	19	FF2124C.....	9	FFSDR1848GN.....	23	FGN027CH.....	10
609WH.....	42	FDWR82CH.....	19	FF2124G.....	9	FFSDR1860CH.....	23	FGN033BK.....	10
709BK.....	41, 42	FDWS2436BK.....	18	FF2130C.....	9	FFSDR1860GN.....	23	FGN033C.....	10
711BK.....	42	FDWS2436CH.....	18	FF2130G.....	9	FFSDR2436CH.....	23	FGN033G.....	10
1507.....	41	FDWS2448BK.....	18	FF2136C.....	9	FFSDR2436GN.....	23	FGN054BK.....	10
6080.....	41	FDWS2448CH.....	18	FF2136G.....	9	FFSDR2448CH.....	23	FGN054C.....	10
6090.....	41	FDWSK3654CH.....	18	FF2142C.....	9	FFSDR2448GN.....	23	FGN054G.....	10
17442.....	44	FDWSK3663CH.....	18	FF2142G.....	9	FFSDR2460CH.....	23	FGN063BK.....	10
17443.....	44	FDWSK4854CH.....	18	FF2148C.....	9	FFSDR2460GN.....	23	FGN063C.....	10
17448.....	44	FDWSK4863CH.....	18	FF2148G.....	9	FFSF1836CH.....	23	FGN063G.....	10
17449.....	44	FDWSK4874CH.....	18	FF2154C.....	9	FFSF1836GN.....	23	FGN063SS.....	10
30058.....	11	FECST3.....	37	FF2154G.....	9	FFSF1848CH.....	23	FGN074BK.....	10
90312.....	26	FECST5.....	37	FF2160C.....	9	FFSF1848GN.....	23	FGN074C.....	10, 21
90322.....	26	FECST5B.....	37	FF2160G.....	9	FFSF1860CH.....	23	FGN074G.....	10, 21
90411.....	26	FF1236C.....	9	FF2172C.....	9	FFSF1860GN.....	23	FGN074SS.....	10, 21
90422.....	26	FF1236GN.....	9	FF2172G.....	9	FFSF2436CH.....	23	FGN086BK.....	10
90444.....	26	FF1248C.....	9	FF2424BK.....	9	FFSF2436GN.....	23	FGN086C.....	10
93333.....	10	FF1248GN.....	9	FF2424C.....	9	FFSF2448CH.....	23	FGN086G.....	10
93333BK.....	10	FF1260C.....	9	FF2424G.....	9	FFSF2448GN.....	23	FGSP74CH.....	13
93333GN.....	10	FF1260GN.....	9	FF2424SSS.....	9	FFSF2460CH.....	23	FGSP74GN.....	13
97302.....	44	FF1424BK.....	9	FF2430BK.....	9	FFSF2460GN.....	23	FGSTK063CH.....	13
97306.....	44	FF1424C.....	9	FF2430C.....	9	FFSM1836GN.....	23	FHADR36188.....	24
97332.....	44	FF1424G.....	9	FF2430G.....	9	FFSM1848CH.....	23	FHADR36248.....	24
97336.....	44	FF1430BK.....	9	FF2430SSS.....	9	FFSM1848GN.....	23	FHADR48188.....	24
900600.....	43	FF1430C.....	9	FF2436BK.....	9	FFSM1860CH.....	23	FHADR48208.....	24
901318SS.....	43	FF1430G.....	9	FF2436C.....	9	FFSM1860GN.....	23	FHADR48248.....	24
APR-10HD.....	28	FF1430SSS.....	9	FF2436G.....	9	FFSM2436CH.....	23	FHADR60188.....	24
APR-10HT.....	28	FF1436BK.....	9	FF2442BK.....	9	FFSM2436GN.....	23	FHADR60248.....	24
APR-20HD.....	28	FF1436C.....	9	FF2442C.....	9	FFSM2448CH.....	23	FHADR361812.....	24
BC-2415SS.....	25	FF1436G.....	9	FF2442G.....	9	FFSM2448GN.....	23	FHADR481812.....	24
COTM-1.....	42	FF1442C.....	9	FF2442SSS.....	9	FFSM2460CH.....	23	FHADR601812.....	24
DNRK-1420.....	25	FF1442G.....	9	FF2448BK.....	9	FFSM2460GN.....	23	FHADR602012.....	24
DNRK-1424.....	25	FF1448BK.....	9	FF2448C.....	9	FFTM1848GN.....	12	FHDMSEC2436.....	17
DNRK-1436.....	25	FF1448C.....	9	FF2448G.....	9	FFTM188GN.....	12	FHDMSEC2448.....	17
DNRK-1448.....	25	FF1448G.....	9	FF2448SSS.....	9	FFTM246GN.....	12	FHDMSEC2460.....	17
DNRK-2024.....	25	FF1460BK.....	9	FF2454BK.....	9	FFTM2412GN.....	12	FHDMSEC24364.....	17
DNRK-2036.....	25	FF1460C.....	9	FF2454C.....	9	FFWS1436BK.....	18	FHDMSEC24484.....	17
DNRK-2036T.....	25	FF1460G.....	9	FF2454G.....	9	FFWS1436CH.....	18	FHDMSEC24603.....	17
DNRK-2048.....	25	FF1472BK.....	9	FF2460BK.....	9	FFWS1448BK.....	18	FHDMSEC24604.....	17
DNRK-2048T.....	25	FF1472C.....	9	FF2460C.....	9	FFWS1448CH.....	18	FK183674CH.....	13
DNRK-2060.....	25	FF1472G.....	9	FF2460G.....	9	FG007BK.....	10	FK183674GN.....	13
EGU-11.....	42	FF1818CH.....	9	FF2460SSS.....	9	FG007C.....	10	FK184874CH.....	13
FADR36208.....	24	FF1824BK.....	9	FF2472BK.....	9	FG007G.....	10	FK184874GN.....	13
FADR48208.....	24	FF1824C.....	9	FF2472C.....	9	FG013C.....	10	FK243674CH.....	13
FADR302412.....	24	FF1824G.....	9	FF2472G.....	9	FG013G.....	10	FK243674GN.....	13
FADR362012.....	24	FF1824SSS.....	9	FF3036CH.....	9	FG015BK.....	10	FK244874CH.....	13
FADR362412.....	24	FF1830BK.....	9	FF3060CH.....	9	FG027CH.....	10	FK244874GN.....	13
FADR422412.....	24	FF1830C.....	9	FF3060GN.....	9	FG033BK.....	10	FL184BK.....	11
FADR482012.....	24	FF1830G.....	9	FF3648GN.....	9	FG033C.....	10	FL184C.....	11
FADR482412.....	24	FF1830SSS.....	9	FF3660CH.....	9	FG033G.....	10	FL244BK.....	11
FADR602012.....	24	FF1836BK.....	9	FF3660GN.....	9	FG054BK.....	10	FL244C.....	11
FADR602412.....	24	FF1836C.....	9	FF3672GN.....	9	FG054C.....	10	FL364BK.....	11
FAKDBR12.....	27	FF1836G.....	9	FFC18362CH.....	26	FG054G.....	10	FL364C.....	11
FAKDBR20.....	27	FF1836SSS.....	9	FFC18363C.....	26	FG063BK.....	10	FL484BK.....	11
FALHDL20.....	24	FF1842BK.....	9	FFC24362CH.....	26	FG063C.....	10	FL484C.....	11
FAZNBRT12.....	27	FF1842C.....	9	FFC24363CH.....	26	FG063G.....	10	FL604BK.....	11
FAZNBRT20.....	27	FF1842G.....	9	FFCR10CH.....	12	FG063SS.....	10	FLEVASM.....	11
FBKR184854.....	25	FF1842SSS.....	9	FFMDR1836CH.....	23	FG074BK.....	10	FMADR2420.....	24
FBKR184863.....	25	FF1848BK.....	9	FFMDR1836GN.....	23	FG074C.....	10	FMADR3620.....	24
FBKR186054.....	25	FF1848C.....	9	FFMDR1848CH.....	23	FG074G.....	10	FMADR3624.....	24
FBKR186063.....	25	FF1848G.....	9	FFMDR1848GN.....	23	FG074SS.....	10	FMADR4824.....	24
FBL364FPS.....	11	FF1848SSS.....	9	FFMDR1860CH.....	23	FG080CH.....	21	FMK1836694CH.....	14
FBR CNF.....	27	FF1854BK.....	9	FFMDR1860GN.....	23	FG080GN.....	21	FMK1836695CH.....	14
FBR CST5B.....	27	FF1854C.....	9	FFMDR2436CH.....	23	FG086BK.....	10	FMK1848694CH.....	14
FBR CST5S.....	27	FF1854G.....	9	FFMDR2436GN.....	23	FG086C.....	10	FMK1848695CH.....	14

FMK1860694CH.....14	FPS1848VNGN.....9	FTDA2448.....13	FWMBSKT1377GN....32
FMK1860695CH.....14	FPS1860VNGN.....9	FTDA2460.....13	FWMBSKT17710CH...32
FMK2136694CH.....14	FPS2136VNGN.....9	FTPRCST5.....38	FWMBSKT17710GN...32
FMK2136695CH.....14	FPS2142VNGN.....9	FTPRCST5B.....38	FWMCUHGN.....32
FMK2148695CH.....14	FPS2148VNGN.....9	FTPRCST5C.....38	FWMDB14CH.....31
FMK2160694CH.....14	FPS2160SOGN.....9	FTS2448815GN.....12	FWMDB14GN.....31
FMK2160695CH.....14	FPS2160VNGN.....9	FTS2448835GN.....12	FWMDB18CH.....31
FMK2436694CH.....14	FPS2430VNGN.....9	FTSC6.....20, 38	FWMDB18GN.....31
FMK2436695CH.....14	FPS2436SOGN.....9	FTSCAP.....20	FWMDB21CH.....31
FMK2448694CH.....14	FPS2436VNGN.....9	FTSFZ.....11, 20	FWMDB21GN.....31
FMK2448695CH.....14	FPS2442VNGN.....9	FTSGB.....20	FWMDB24GN.....31
FMK2460695CH.....14	FPS2448SOGN.....9	FTSJ2.....20	FWMG1836GN.....31
FMPS1836694.....14	FPS2448VNGN.....9	FTSLC.....20	FWMG2424GN.....31
FMPS1836695.....14	FPS2454VNGN.....9	FTSM8GN.....12	FWMG2436GN.....31
FMPS1848694.....14	FPS2460SOGN.....9	FTSMU18.....21	FWMG2448GN.....31
FMPS1848695.....14	FPS2460VNGN.....9	FTSMU21.....21	FWMG3036GN.....31
FMPS1860694.....14	FPSPC.....10	FTSMU24.....21	FWMGMS3019CH....32
FMPS1860695.....14	FPSSH.....10	FTSSU.....21	FWMGMS3019GN....32
FMPS2136694.....14	FSCAST4.....38	FTST2.....20	FWMGMS3619CH....32
FMPS2136695.....14	FSCAST4B.....38	FTST3.....20	FWMGMS3619GN....32
FMPS2148694.....14	FSCAST5.....38	FTST5.....20	FWMGMS4819CH....32
FMPS2148695.....14	FSCAST5B.....38	FTSTK6.....21	FWMGMS4819GN....32
FMPS2160694.....14	FSCAST5C.....38	FTSTK7.....21	FWMHOOKSS.....32
FMPS2160695.....14	FSD14BK.....11	FTSTK8.....21	FWMKIT1.....31
FMPS2436694.....14	FSD18BK.....11	FTSTK9.....21	FWMPEGH00KCH....32
FMPS2436695.....14	FSD18C.....11	FTSTK10.....21	FWMPEGH00KGN....32
FMPS2448694.....14	FSD24BK.....11	FTSTK11.....21	FWMSB14CH.....31
FMPS2448695.....14	FSD24C.....11	FTSTK12.....21	FWMSB18CH.....31
FMPS2460694.....14	FSD188FPS.....11	FTSTK13.....21	FWMSB18GN.....31
FMPS2460695.....14	FSD248FPS.....11	FTSTK14.....21	FWMSB21CH.....31
FMSEC1836.....16	FSEC183663.....17	FTSTK15.....21	FWMSB21GN.....31
FMSEC1848.....16	FSEC184863.....17	FTSTK16.....21	FWMSB24GN.....31
FMSEC1860.....16	FSEC186063.....17	FTSTK17.....21	FWMSPICERACKCH...12, 32
FMSEC2436GN.....17	FSEC243663.....17	FTSTK18.....21	FWMTDRGN.....32
FMSEC2448.....16	FSEC243663GN.....17	FTSTK19.....21	FWMVB17GN.....30
FMSEC2460.....16	FSEC244863.....17	FTSTK20.....21	FWMVB31CH.....30
FMSEC2460GN.....17	FSEC244863GN.....17	FTSTK21.....21	FWMVB31GN.....30
FMSEC18363.....16	FSEC246063.....17	FTSU18.....20	FWMVB41CH.....30
FMSEC18364.....16	FSEC246063GN.....17	FTSU21.....20	FWMVB41GN.....30
FMSEC18483.....16	FSECM2448CH.....17	FTSU24.....20	FWPBKTCH.....35
FMSEC18484.....16	FSHELF3B.....12	FUR1824CHSS.....33	FWPBKTGN.....35
FMSEC18603.....16	FSHELF6B.....12	FURHOOKSS.....32, 33	FWPIBCH.....35
FMSEC18604.....16	FSL184FPS.....11	FUTL3BK.....12	FWPIBGN.....35
FMSEC24363GN.....17	FSL244FPS.....11	FUTL6BK.....12	FWPS13CH.....35
FMSEC24364.....16	FSPA811.....43	FWB12DCH.....34	FWPS13GN.....35
FMSEC24364GN.....17	FSPA1116.....43	FWB12DGN.....34	FWPS24CH.....35
FMSEC24483.....16	FSPA1624.....43	FWB12SCH.....34	FWPS24GN.....35
FMSEC24483GN.....17	FSSEC1836.....16	FWB12SGN.....34	FWPS33CH.....35
FMSEC24484.....16	FSSEC1848.....16	FWB14DCH.....34	FWPS33GN.....35
FMSEC24484GN.....17	FSSEC1860.....16	FWB14DG.....34	FWPS54CH.....35
FMSEC24603GN.....17	FSSEC2436.....16	FWB14SCH.....34	FWPS54GN.....35
FMSEC24604.....16	FSSEC2436GN.....17	FWB14SG.....34	FWPS63CH.....35
FMSEC24604GN.....17	FSSEC2448.....16	FWB18DCH.....34	FWPSBCH.....11
FMWR1836CH.....19	FSSEC2448GN.....17	FWB18DG.....34	FWPSBGN.....11
FPCF353.....39	FSSEC2460.....16	FWB18SCH.....34	FWS1436G.....34
FPCS352.....39	FSSEC2460GN.....17	FWB18SG.....34	FWS1448G.....34
FPCST2X35.....39	FSSEC18363.....16	FWB21DGN.....34	FWS1836GN.....34
FPCST5.....39	FSSEC18364.....16	FWB21SCH.....34	FWS1848GN.....34
FPCST5HD.....39	FSSEC18484.....16	FWB21SGN.....34	FWSAL1224.....33
FPCST355.....39	FSSEC18603.....16	FWB24DCH.....34	FWSAL1236.....33
FPCTR5.....39	FSSEC18604.....16	FWB24DGN.....34	FWSAL1248.....33
FPFC.....11	FSSEC24363.....16	FWB24SCH.....34	FWSAL1260.....33
FPLASCAP.....11	FSSEC24363GN.....17	FWB24SGN.....34	FWSK3654BK.....18
FPMB14DCH.....35	FSSEC24364.....16	FWBR45BK.....18	FWSK3654CH.....18
FPMB14SCH.....35	FSSEC24364GN.....17	FWBR45CH.....18	FWSK3663BK.....18
FPMB14SGN.....35	FSSEC24483.....16	FWMB6SS.....32	FWSK3663CH.....18
FPMB18DCH.....35	FSSEC24483GN.....17	FWMBHR6GN.....32	FWSK3674BK.....18
FPMB18DGN.....35	FSSEC24484GN.....17	FWMBHS6.....32	FWSK3674CH.....18
FPMB18SCH.....35	FSSEC24603.....16	FWMBKT12CH.....30	FWSK4854BK.....18
FPMB18SGN.....35	FSSEC24603GN.....17	FWMBKT12GN.....30	FWSK4854CH.....18
FPMB21DCH.....35	FSSEC24604.....16	FWMBKT18CH.....30	FWSK4863BK.....18
FPMB21SCH.....35	FST243663CH.....14	FWMBKT18GN.....30	FWSK4863CH.....18
FPMB24DCH.....35	FST244863CH.....14	FWMBKT36CH.....30	FWSK4874BK.....18
FPMB24DGN.....35	FST246063CH.....14	FWMBKT36GN.....30	FWSSS1224.....33
FPMB24SCH.....35	FSWR1836CH.....19	FWMBKT48CH.....30	FWSSS1236.....33
FPMB24SGN.....35	FTC12133.....37	FWMBKT48GN.....30	FWSSS1248.....33
FPOCL.....10	FTC34105HD.....37	FWMBKT60CH.....30	FWSSS1260.....33
FPOCLBK.....10	FTC121351.....37	FWMBKT60GN.....30	FWTS12CH.....12
FPS1824VNGN.....9	FTC1213125.....37	FWMBSKT1357CH....32	FWTS12GN.....12
FPS1836VNGN.....9	FTCAST5.....37	FWMBSKT1357GN....32	FXHAND18C.....11
FPS1842VNGN.....9	FTDA2436.....13	FWMBSKT1377CH....32	FXHAND24C.....11



**EXPLORE THE COMPLETE
1880 HOSPITALITY PORTFOLIO.**

Access the latest editions of our catalogs,
including tabletop, storage & transport, and
specialty product collections.



**ASSEMBLY INSTRUCTIONS & PRODUCT
RESOURCES**

Find assembly instructions, product documents,
and additional support materials for Focus
Foodservice products.



**1880 HOSPITALITY
CORPORATE OFFICE**

8755 W. Higgins Road, Suite 610
Chicago, IL 60631

CUSTOMER SERVICE

Phone: 1.800.828.7033
Email: orders@1880hospitality.com
1880hospitality.com

© Copyright Foodservices Brand Group